













Bake & Broil Elements

- Manufactured on the same production lines as the OEM parts.
- Meet or exceed OEM specifications and are UL/CSA approved.
- The outside sheath is made of Incoloy™ a very high temperature nickel stainless alloy.
- The elements are sealed with a high temperature liquid silicone compound straight out of the annealing oven, to prevent any moisture in the element.



















Tech Tip:

After installing a Bake, Broil or Surface Element the element should run at full temperature for a minimum of 5 minutes. This will drive out any moisture that may have been absorbed by the element during shipping and storage.

















<p>RP44K5012 Bake</p> <p>Replaces: GE WB44M0001 Bracket Special Terminal 2672 Length 14 3/4" Width 17" Insert 4" Watts 2850/2138 Volts 240/208</p> 	<p>RP44X126 Bake</p> <p>Replaces: GE WB44X126 Bracket 1339 Terminal 6057 Length 14 5/8" Width 19 3/8" Insert 1 5/8" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X127 Bake</p> <p>Replaces: GE WB44X196 Bracket 2598 Terminal 6057 Length 15" Width 8 1/2" Insert 1 5/8" Watts 2000/1500 Volts 240/208</p> 	<p>RP44X134 Broil</p> <p>Replaces: GE WB44X134 Bracket 1504 Terminal 6057 Length 15 1/2" Width 11 1/2" Insert 1 3/4" Watts 3000/2250 Volts 240/208</p> 
<p>RP44X136 Broil</p> <p>Replaces: GE WB44X136 Bracket 1504 Terminal 6057 Length 14" Width 9" Insert 1 3/4" Watts 2400/1800 Volts 240/208</p> 	<p>RP44X139 Broil</p> <p>Replaces: GE WB44X139 Bracket 2758 Terminal 6057 Length 18" Width 11" Insert 2 3/8" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X142 Bake</p> <p>Replaces: GE WB44X142 Bracket 2460 Terminal plug-in Length 16 7/8" Width 14 9/16" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X164 Bake</p> <p>Replaces: GE WB44X148 Bracket 2781 Terminal 6057 Length 15 1/2" Width 17 1/2" Insert 3 1/2" Watts 3000/2250 Volts 240/208</p> 
<p>RP44X165 Broil</p> <p>Replaces: GE WB44X165 Bracket 3148 Terminal 6057 Length 16" Width 11 1/2" Insert 3 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X173 Broil</p> <p>Replaces: GE WB44X149 Bracket 1339 Terminal 6057 Length 15" Width 11" Insert 2 3/4" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X200 Bake</p> <p>Replaces: GE WB44X160 Bracket 1339 Terminal 6057 Length 16 5/8" Width 13" Insert 2 1/2" Watts 3000/2077 Volts 250/208</p> 	<p>RP44X228 Bake</p> <p>Replaces: GE WB44X228 Bracket Special Terminal 2672 Length 15 1/2" Width 18 3/8" Insert 4" Watts 3000/2250 Volts 240/208</p> 

















Part numbers and illustrations are intended solely for identification, Items offered for sale are not represented to be manufactured by the company that built the original equipment manufacturer, actual product may vary from illustration.



































<p>RP44X5043 Bake Replaces: GE WB44X5043 Bracket 1339 Terminal 6057 Length 15 1/8" Width 13 1/2" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP44X5074 Broil Replaces: GE WB44X5074 Bracket 2529 Terminal 6057 Length 16 3/16" Width 12 1/4" Insert 2 1/4" Watts 2750/2065 Volts 240/208</p> 	<p>RP44X5082 Bake Replaces: GE WB44X5082 Bracket 1339 Terminal 6057 Length 14 1/2" Width 18" Insert 2 1/2" Watts 2700/1869 Volts 250/208</p> 	<p>RP44X5099 Bake Replaces: GE WB44X5099 Bracket 1339 Terminal 6057 Length 15 1/2" Width 18" Insert 1 1/2" Watts 2700/1869 Volts 250/208</p> 
<p>RP528 Bake Replaces: Whirlpool 265619 Bracket 2370 Terminal 6057 Length 16 5/8" Width 16" Insert 1" Watts 2300/1725 Volts 240/208</p> 	<p>RP550 Bake Replaces: Norge 45-1932 Bracket 2378 Terminal 6057 Length 16 5/8" Width 16" Insert 2 1/2" Watts 2200/1650 Volts 240/208</p> 	<p>RP571 Bake Replaces: GE WB44X133 Bracket 2460 Terminal plug-in Length 14" Width 19" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP579 Broil Replaces: Hardwick OE00200399 Bracket 2370 Terminal 6057 Length 16" Width 13 1/2" Insert 1 3/4" Watts 3000/2250 Volts 240/208</p> 
<p>RP580 Bake Replaces: Chromalox ROU-N Bracket 2378 Terminal 6057 Length 15 7/8" Width 13 5/8" Insert 1 5/8" Watts 2300/1725 Volts 240/208</p> 	<p>RP583 Broil Replaces: Modern Maid 7406164 Bracket 2370 Terminal 6057 Length 16" Width 13 1/4" Insert 2 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP584 Bake Replaces: Admiral 73225 Bracket 2378 Terminal 6057 Length 14 3/8" Width 18 1/8" Insert 2 7/8" Watts 3100/2146 Volts 250/208</p> 	<p>RP5841 Bake Replaces: Thermador 14-29-553 Bracket 6331 Terminal 2672 Length 16 5/8" Width 15 3/8" Insert 2 7/8" Watts 2800/2100 Volts 240/208</p> 
<p>RP5862 Bake Replaces: Hardwick OE00105099 Bracket 2365 Terminal 6131 Length 16 1/2" Width 18 3/4" Insert 3 1/16" Watts 2800/2100 Volts 240/208</p> 	<p>RP587 Bake Replaces: Eagle 56991 Bracket 2378 Terminal 6057 Length 16" Width 13" Insert 3" Watts 2300/1725 Volts 240/208</p> 	<p>RP591 Broil Replaces: Sunray 3005 Bracket 2377 Terminal 6057 Length 17" Width 13 1/2" Insert 1 1/8" Watts 3000/2250 Volts 240/208</p> 	<p>RP595 Bake Replaces: Maytag 1938258 Bracket 2369 Terminal 6057 Length 16 1/4" Width 21" Insert 3" Watts 3100/2325 Volts 240/208</p> 











<p>RP613 Bake Replaces: Vernois P189 Bracket 2378 Terminal 6057 Length 17 5/8" Width 14 1/8" Insert 1 7/8" Watts 2300/1725 Volts 240/208</p> 	<p>RP620 Bake Replaces: Sunray 3002 Bracket 2378 Terminal 6057 Length 15 3/4" Width 12 3/4" Insert 2 7/8" Watts 2100/1577 Volts 240/208</p> 	<p>RP640 Bake Replaces: Whirlpool 265619 Bracket 2770 Terminal 6057 Length 17 1/8" Width 2" Insert 1" Watts 1500/1125 Volts 240/208</p> 	<p>RP641 Bake Replaces: Westinghouse 5300207517 Bracket 1340 Terminal 6057 Length 15 3/4" Width 19 3/4" Insert 1 3/8" Watts 3000/2250 Volts 240/208</p> 
<p>RP651 Bake Replaces: Westinghouse 5300210961 Bracket 2723 Terminal 6057 Length 14 3/4" Width 14" Insert 1 1/2" Watts 2400/1800 Volts 240/208</p> 	<p>RP653 Bake Replaces: Westinghouse Q210911 Bracket 2723 Terminal 6057 Length 13 1/2" Width 21" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP660 Bake Replaces: Tappan/O'Keefe & Merritt 221L003P01 Bracket 2378 Terminal 6057 Length 17 9/16" Width 14 1/2" Insert 1" Watts 2200/1650 Volts 240/208</p> 	<p>RP672 Bake Replaces: Monarch R01-08041 Bracket 2378 Terminal 6057 Length 16 1/2" Width 16" Insert 1 1/2" Watts 2300/1725 Volts 240/208</p> 
<p>RP673 Bake Replaces: Philco 3204-40 Bracket 2378 Terminal 6057 Length 16 1/2" Width 19 3/4" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP680 Bake Replaces: Brown 184-2E28 Bracket 2420 Terminal 6057 Length 13 5/8" Width 20 5/16" Insert 2 7/8" Watts 2600/1950 Volts 240/208</p> 	<p>RP6800 Bake Replaces: Jenn-Air 715269 Bracket 2369 Terminal 6057 Length 16 3/8" Width 12 1/4" Insert 1 3/16" Watts 2000/1500 Volts 240/208</p> 	<p>RP681 Broil Replaces: Brown 184-2E35 Bracket 1819 Terminal 6057 Length 16 1/4" Width 10" Insert 2" Watts 2300/1725 Volts 240/208</p> 
<p>RP700 Bake Replaces: Whirlpool 832513 Bracket 2378 Terminal 6057 Length 16 1/4" Width 21 5/16" Insert 3" Watts 2500/1875 Volts 240/208</p> 	<p>RP701 Bake Replaces: Chambers 7568E Bracket 2378 Terminal 6057 Length 16 1/2" Width 15 3/4" Insert 1 3/4" Watts 2750/2065 Volts 240/208</p> 	<p>RP7019 Bake Replaces: Maytag 74003019 Bracket 2365 Terminal 2672 Length 15 1/2" Width 19 3/4" Insert 3 1/2" Watts 2800/2100 Volts 240/208</p> 	<p>RP7152 Broil Replaces: Whirlpool 4451175 Bracket Special Terminal 2672 Length 13 1/2" Width 16 3/4" Insert 3" Watts 2200/1650 Volts 240/208</p> 

<p>RP7155 Broil Replaces: Whirlpool 814431</p> <p>Bracket 2601 Terminal 2672 Length 15 1/2" Width 19" Insert 3" Watts 3400/2550 Volts 240/208</p> 	<p>RP716 Bake Replaces: Westinghouse 5300207513</p> <p>Bracket 1339 Terminal 6057 Length 15 5/8" Width 18" Insert 2 1/4" Watts 3000/2250 Volts 240/208</p> 	<p>RP717 Bake Replaces: Kelvinator K1313171</p> <p>Bracket 2378 Terminal 6057 Length 17 3/4" Width 19 1/4" Insert 3 1/8" Watts 2400/1800 Volts 240/208</p> 	<p>RP718 Bake Replaces: Tappan/O'Keefe & Merritt 221T015P01</p> <p>Bracket 2378 Terminal 2672 Length 17" Width 16 1/2" Insert 1 3/8" Watts 3000/2250 Volts 240/208</p> 
<p>RP738 Bake Replaces: Whirlpool 241622</p> <p>Bracket 2368 Terminal 6057 Length 17 1/2" Width 9 3/4" Insert 2 3/4" Watts 2100/1454 Volts 250/208</p> 	<p>RP743 Bake Replaces: Chambers K16337</p> <p>Bracket 2378 Terminal 1338 Length 15" Width 19 1/4" Insert 2" Watts 2600/1950 Volts 240/208</p> 	<p>RP746 Broil Replaces: Roper 300664</p> <p>Bracket 2377 Terminal 6057 Length 16 1/4" Width 13 1/4" Insert 2 1/4" Watts 2750/2065 Volts 240/208</p> 	<p>RP748 Bake Replaces: Kenmore 630718</p> <p>Bracket 2378 Terminal 6057 Length 16 1/2" Width 20 1/4" Insert 2 1/2" Watts 2500/1875 Volts 240/208</p> 
<p>RP751 Broil Replaces: Tappan/01-233-9</p> <p>Bracket 1500 Terminal 6057 Length 16 3/8" Width 11" Insert 1 1/4" Watts 3000/2250 Volts 240/208</p> 	<p>RP752 Bake Replaces: Enterprise 150610</p> <p>Bracket 2378 Terminal 6057 Length 15 1/4" Width 13 3/4" Insert 2 5/16" Watts 2000/1500 Volts 240/208</p> 	<p>RP755 Bake Replaces: Whirlpool 306138</p> <p>Bracket 2370 Terminal 6057 Length 17 3/8" Width 6 5/8" Insert 2 3/8" Watts 1500/1125 Volts 240/208</p> 	<p>RP761 Bake Replaces: Modern Maid 7406171</p> <p>Bracket 2378 Terminal 2672 Length 16" Width 21 3/16" Insert 2 1/2" Watts 3000/2250 Volts 240/208</p> 
<p>RP775 Bake Replaces: Chambers 1312853</p> <p>Bracket 2365 Terminal 6131 Length 15" Width 19 1/4" Insert 3 3/4" Watts 2400/1800 Volts 240/208</p> 	<p>RP776 Bake Replaces: Hardwick 0E00104899</p> <p>Bracket 2378 Terminal 2672 Length 15 3/8" Width 19 5/16" Insert 3 5/8" Watts 2500/1875 Volts 240/208</p> 	<p>RP777 Bake Replaces: Kenmore 301444</p> <p>Bracket 2858 Terminal 2672 Length 15 1/4" Width 19 3/4" Insert 3 3/4" Watts 2750/2065 Volts 240/208</p> 	<p>RP778 Bake Replaces: Roper 4336508</p> <p>Bracket 2365 Terminal 6131 Length 15 5/8" Width 15" Insert 2 7/8" Watts 2100/1577 Volts 240/208</p> 

<p>RP779 Broil Replaces: Whirlpool 660579</p> <p>Bracket n/a Terminal 1993 Length 18 1/2" Width 11 3/4" Insert n/a Watts 3000/2250 Volts 240/208</p> 	<p>RP780 Bake Replaces: Enterprise 150617</p> <p>Bracket 2378 Terminal 2672 Length 15" Width 18 3/8" Insert 3 1/8" Watts 2250/1688 Volts 240/208</p> 	<p>RP781 Bake Replaces: Caloric 91222</p> <p>Bracket 2378 Terminal 2672 Length 15" Width 15 1/2" Insert 3 1/8" Watts 2000/1500 Volts 240/208</p> 	<p>RP783 Bake Replaces: Frigidaire 5309950886</p> <p>Bracket 1340 Terminal 2379 Length 15" Width 19 1/4" Insert 3 1/4" Watts 3000/2330 Volts 240/208</p> 
<p>RP789 Broil Replaces: Roper 314987</p> <p>Bracket 2377 Terminal 2672 Length 15 3/8" Width 14 1/4" Insert 3 3/8" Watts 3400/2550 Volts 240/208</p> 	<p>RP790 Bake Replaces: Jenn-Air 201767</p> <p>Bracket 2369 Terminal 2672 Length 15 3/4" Width 16 5/8" Insert 3 5/16" Watts 2600/1950 Volts 240/208</p> 	<p>RP792 Bake Replaces: Roper 4330446</p> <p>Bracket 2369 Terminal 2672 Length 15 1/4" Width 19 1/4" Insert 4 1/8" Watts 2500/1875 Volts 240/208</p> 	<p>RP795 Bake Replaces: Modern Maid 7406172</p> <p>Bracket 2378 Terminal 2672 Length 15 1/2" Width 16" Insert 2 1/2" Watts 2500/1875 Volts 240/208</p> 
<p>RP798 Bake Replaces: Maytag 4000041</p> <p>Bracket 2369 Terminal 6131 Length 15" Width 19" Insert 3 Watts 2585/1940 Volts 240/208</p> 	<p>RP799 Bake Replaces: Eagle E1345-26</p> <p>Bracket 2365 Terminal 2672 Length 15 5/8" Width 12 1/2" Insert 2 3/4" Watts 2600/1950 Volts 240/208</p> 	<p>RP805 Bake Replaces: Whirlpool 268766</p> <p>Bracket 2378 Terminal 6057 Length 15 1/4" Width 21 1/2" Insert 1 1/4" Watts 2600/1950 Volts 240/208</p> 	<p>RP815 Broil Replaces: Caloric 96093P01</p> <p>Bracket 2364 Terminal 2672 Length 16 1/2" Width 13 1/4" Insert 3 1/4" Watts 3000/2077 Volts 250/208</p> 
<p>RP825 Bake Replaces: Modern Maid 7406166</p> <p>Bracket 2435 Terminal 6131 Length 11 7/8" Width 14 5/16" Insert 1" Watts 2000/1500 Volts 240/208</p> 	<p>RP829 Broil Replaces: Chambers 1311292</p> <p>Bracket 2583 Terminal 2672 Length 15 1/2" Width 13 1/4" Insert 3 1/2" Watts 3400/2550 Volts 240/208</p> 	<p>RP832 Bake Replaces: Kenmore 37265</p> <p>Bracket 2378 Terminal 6057 Length 15 3/4" Width 16" Insert 3 1/2" Watts 2000/1500 Volts 240/208</p> 	<p>RP835 Broil Replaces: Roper 4327217</p> <p>Bracket 2377 Terminal 2672 Length 16" Width 13 1/4" Insert 3 1/8" Watts 3400/2550 Volts 240/208</p> 

<p>RP836 Bake Replaces: Kenmore 82520 Bracket 2378 Terminal 2672 Length 16" Width 21 5/16" Insert 3" Watts 2500/1875 Volts 240/208</p> 	<p>RP837 Bake Replaces: Whirlpool 866375 Bracket 2365 Terminal 6131 Length 15 3/8" Width 19 1/4" Insert 3 3/4" Watts 2400/1800 Volts 240/208</p> 	<p>RP838 Bake Replaces: Roper 320415 Bracket 2378 Terminal 2672 Length 17 1/2" Width 16 1/2" Insert 1 1/2" Watts 2000/1500 Volts 240/208</p> 	<p>RP839 Bake Replaces: Chambers K14079 Bracket 2378 Terminal 2672 Length 16" Width 20 1/4" Insert 3" Watts 2600/1950 Volts 240/208</p> 
<p>RP840 Bake Replaces: Ropers K16337 Bracket 2378 Terminal 6057 Length 16" Width 20 1/4" Insert 1 1/2" Watts 2200/1650 Volts 240/208</p> 	<p>RP841 Bake Replaces: Whirlpool 326793 Bracket 2365 Terminal 6131 Length 15 5/16" Width 21 3/4" Insert 3" Watts 2500/1880 Volts 240/208</p> 	<p>RP843 Broil Replaces: Vesta P141-044 Bracket 2441 Terminal 2672 Length 15 5/8" Width 13" Insert 3 1/8" Watts 3000/2250 Volts 240/208</p> 	<p>RP844 Broil Replaces: Frigidaire 9951525 Bracket 2842 Terminal 2672 Length 18 1/2" Width 11 1/2" Insert 1 7/8" Watts 3200/2400 Volts 240/208</p> 
<p>RP853 Bake Replaces: GE WB44X5094 Bracket 2420 Terminal 2672 Length 15 3/4" Width 13 1/4" Insert 2 1/2" Watts 2000/1500 Volts 240/208</p> 	<p>RP854 Broil Replaces: Admiral 7406P004-60 Bracket 2282 Terminal 1338 2609 2672 Length 15 1/16" Width 12 1/2" Insert 3 1/4" Watts 3200/2400 Volts 240/208</p> 	<p>RP855 Bake Replaces: Amana 068142 Bracket 2378 Terminal 2672 Length 14 3/4" Width 21" Insert 2" Watts 2600/1950 Volts 240/208</p> 	<p>RP856 Bake Replaces: Maytag 4000066 Bracket 2369 Terminal 3131 Length 16" Width 16" Insert 2" Watts 2750/2065 Volts 240/208</p> 
<p>RP858 Broil Replaces: Roper/Whirlpool 326360 Bracket 2377 Terminal 2672 Length 15 1/8" Width 13 1/4" Insert 4 1/8" Watts 3400/2550 Volts 240/208</p> 	<p>RP862 Broil Replaces: Roper/Whirlpool 4334925 Bracket 2377 Terminal 2672 Length 15 1/8" Width 13 1/4" Insert 4 1/8" Watts 3400/2550 Volts 240/208</p> 	<p>RP871 Bake Replaces: Roper/Whirlpool 4334928 Bracket 2378 Terminal 2672 Length 15 3/4" Width 19 1/4" Insert 4" Watts 3400/2550 Volts 240/208</p> 	<p>RP872 Bake Replaces: Amana C2704901 Bracket 2858 Terminal 2672 Length 16" Width 19 1/4" Insert 3 3/8" Watts 2500/1875 Volts 240/208</p> 



<p>RP958 Bake</p> <p>Replaces: Norge 41-5958 Bracket 2368 Terminal 2672 Length 15 1/2 Width 18 3/4" Insert 3" Watts 3000/2250 Volts 240/208</p> 	<p>RP969 Bake</p> <p>Replaces: Frigidaire 9950891 Bracket 1543 Terminal 5282 Length 18 3/8" Width 13 1/4" Insert 2 3/4 Watts 2700/1869 Volts 250/208</p> 	<p>RP978 Bake</p> <p>Replaces: Frigidaire 8004202 Bracket 1340 Terminal 2672 Length 14 5/8" Width 19 1/4" Insert 1 3/8" Watts 3000/2330 Volts 236/208</p> 	<p>RP979 Bake</p> <p>Replaces: Frigidaire 5309950887 Bracket 1340 Terminal 2672 Length 17 3/8" Width 13 1/4" Insert 1 3/8" Watts 3000/2330 Volts 236/208</p> 
<p>RP980 Bake</p> <p>Replaces: GE WB44X5019 Bracket 2461 Terminal 5683 Length 15" Width 15 1/2" Insert 1 1/2" Watts 3000/2250 Volts 240/208</p> 	<p>RP983 Broil</p> <p>Replaces: GE WB44X5006 Bracket 2763 Terminal 5683 Length 15 11/16" Width 16 1/4" Insert 1 1/2" Watts 3600/2700 Volts 240/208</p> 	<p>RP985 Broil</p> <p>Replaces: GE WB44X5045 Bracket 2598 Terminal 1338 Length 16 7/8" Width 13 1/4" Insert 1 3/4" Watts 3000/2250 Volts 240/208</p> 	<p>RP987 Broil</p> <p>Replaces: Whirlpool 326795 Bracket n/a Terminal 1993 Length 18 3/4" Width 11 1/2" Insert — Watts 3000/2250 Volts 240/208</p> 

Part numbers and illustrations are intended solely for identification, items offered for sale are not represented to be manufactured by the company that built the original equipment manufacturer, actual product may vary from illustration.

Tech Tip:

After installing a Bake, Broil or Surface Element the element should run at full temperature for a minimum of 5 minutes. This will drive out any moisture that may have been absorbed by the element during shipping and storage.

